

Safety data sheet

Page: 1/24

Date / Revised: 09.11.2022 Version: 4.0
Date previous version: 11.11.2021 Previous version: 3.0

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SCI Flakes

INCI name: Sodium Cocoyl Isethionate

Chemical name: Fatty acids, coco, 2-sulfoethyl esters, sodium salts

REACH registration number: 01-2119974104-40-0004, 01-2119974104-40-0008

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: surfactants, cosmetic ingredient

For the detailed identified uses of the product see appendix of the safety data sheet.

1.3. Details of the supplier of the safety data sheet

Company: SOAPMAKERS STORE Contact address: Unit 3 Quatro Park, Tanners Drive, Milton Keynes MK14 5FJ ENGLAND

Telephone: + 44 (0) 1908 334108

E-mail address: sales@soapmakers-store.com

1.4. Emergency telephone number

International emergency number:

Telephone: + 44 (0) 1908 334108

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Eve Dam./Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:



Signal Word:

Warning

Hazard Statement:

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear eye and face protection.
P273 Avoid release to the environment.

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P311 If eye irritation persists: Call a POISON CENTER or physician.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Fine dust can form an inflammable mixture together with air.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

Fatty acids, coco, 2-sulfoethyl esters, sodium salts CAS Number: 61789-32-0 EC-Number: 263-052-5

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

3.2. Mixtures

Not applicable

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

If adverse health effects develop seek medical attention.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Seek medical attention.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide

5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours

Advice: Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid dust formation.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Contain with dust binding material and dispose of. Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid dust formation. Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Storage temperature: <= 25 °C

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

PNEC

freshwater: 0.0048 mg/l

marine water: 0.00048 mg/l

intermittent release: 0.048 mg/l

STP: 6.87 mg/l

sediment (freshwater): 0.714 mg/kg

sediment (marine water): 0.0714 mg/kg

soil: 0.139 mg/kg

DNEL

worker:

Long-term exposure- systemic effects, Inhalation: 62.5 mg/m3

worker:

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

Long-term exposure- systemic effects, dermal: 28.75 mg/kg

consumer:

Long-term exposure- systemic effects, Inhalation: 18.5 mg/m3

consumer:

Long-term exposure- systemic effects, dermal: 17.3 mg/kg

consumer:

Long-term exposure- systemic effects, oral: 10.7 mg/kg

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls

Do not discharge product into the environment without control.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: flakes, chips
Colour: white to off-white
Odour: characteristic

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

Odour threshold:

not determined

pH value: 4.0 - 6.0

(water, 10 %(m))

Melting point: approx. 200 °C Boiling point: > 149 °C

(1,013 hPa)

Flash point: > 101 °C

> 101 °C (ASTM D93)

Evaporation rate:

The product is a non-volatile solid.

Flammability: not flammable

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Ignition temperature:

not determined

Vapour pressure: < 1.3 hPa

(25 °C)

Density:

not determined

Relative vapour density (air):

The product is a non-volatile solid.

Solubility in water: moderately soluble

Partitioning coefficient n-octanol/water (log Kow): < -1.8 (measured)

(23 °C)

Self ignition: not applicable

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic:

not applicable, the product is a solid

Viscosity, kinematic:

not applicable, the product is a solid

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

Self heating ability: It is not a substance capable of

spontaneous heating.

Bulk density: approx. 470 kg/m3

Miscibility with water:

moderately soluble

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

No further information available.

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

The product may contain explosive fine dust or such dust may be produced by abrasion during transport or product transfer.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

No substances known that should be avoided.

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation):

not determined

LD50 rat (dermal):

not determined

Irritation

Assessment of irritating effects:

Eye contact causes irritation.

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

May cause slight irritation to the skin. Based on available data, the classification criteria are not met.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (similar to OECD guideline 404)

Serious eye damage/irritation

rabbit: Irritant. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammalian cell culture.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Aspiration hazard

No aspiration hazard expected.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 10 - 100 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 84/449/EEC, C.1, semistatic)

The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) > 10 - 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) > 1 - 10 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration.

EC10 (72 h) > 0.1 - 1 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration.

Microorganisms/Effect on activated sludge:

EC50 (180 min) > 1,000 mg/l, activated sludge, domestic (OECD Guideline 209, aquatic) The details of the toxic effect relate to the nominal concentration.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

Elimination information:

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

70 - 80 % CO2 formation relative to the theoretical value (28 d) (OECD 301D; EEC 92/69, C.4-E) (aerobic, activated sludge, domestic)

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Bioaccumulation potential:

Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface. Adsorption in soil: Adsorption to solid soil phase is possible.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Self classification

12.6. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable

Environmental hazards: Special precautions for

user

Not applicable None known

RID

Not classified as a dangerous good under transport regulations

Not applicable UN number or ID number: Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards:

Special precautions for

user

Not applicable None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Special precautions for

user:

Not applicable None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

Transport hazard class(es): Not applicable Packing group: Not applicable Not applicable Environmental hazards: Not applicable Special precautions for None known

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 231-100-4, 63

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Chemical Safety Assessment performed

SECTION 16: Other Information

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Eye Dam./Irrit. Serious eye damage/eye irritation

Aquatic Chronic Hazardous to the aquatic environment - chronic

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code.

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

Annex: Exposure Scenarios

Index

1. Formulation of mixtures (industrial, professional, consumer) SU3, SU22, SU21; ERC2; PROC1, PROC2, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC14, PROC15

2. Consumer applications SU21; ERC8a, ERC8d; PC39

* * * * * * * * * * * * * * * *

1. Short title of exposure scenario

Formulation of mixtures (industrial, professional, consumer) SU3, SU22, SU21; ERC2; PROC1, PROC2, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC14, PROC15

Control of exposure and risk management measures

Contributing exposure scenario		
Use descriptors covered	COLIPA SPERC 2.1.i.v1: (COLIPA SPERC 2.1.i.v1
Operational conditions		
Annual amount used in the EU	180,000 kg	
Minimum emission days per year	220	
Emission factor air	0 %	
Emission factor water	2 %	
Emission factor soil	0 %	
Receive Surf. Water (Flow Rate).	18,000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Soil treatment measures considered suitable are, e.g.		No application of sludge to soil
Type of STP		Municipal STP
Assumed sewage treatment plant flow (m3/d)		2,000 m3/d
Exposure estimate and reference to its source		
Assessment method	EASY TRA v4.1, ECETOC	TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0.245948	
		xposure is driven by marine
	water.	

Date / First version: 08.05.2014

Product: SCI Flakes

Maximum amount of safe use	3,326.6 kg/d
Risk from environmental exposure is driven by marine water.	

Contributing exposure scenario		
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. Use domain: industrial	
Operational conditions		
Concentration of the substance	Fatty acids, coco, 2-sulfoethyl esters, sodium salts Content: >= 0 % - <= 100 %	
Physical state	Solid, low dustiness	
Vapour pressure of the substance during use	0.0015 Pa	
Process temperature	20 °C	
Duration and Frequency of activity	480 min 5 days per week	
Indoor/Outdoor	Indoor	
Risk Management Measures		
Use suitable eye protection.		
Exposure estimate and reference to		
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	
	Worker - dermal, long-term - systemic	
Exposure estimate	0.0343 mg/kg bw/day	
Risk Characterization Ratio (RCR)	0.001193	
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	
	Worker - inhalation, long-term - systemic	
Exposure estimate	0.01 mg/m³	
Risk Characterization Ratio (RCR)	0.00016	
Guidance to Downstream Users		
For scaling see: http://www.ecetoc.org	/tra Please note that a modified version has been used (see	
exposure estimates)		

Contributing exposure scenario		
Use descriptors covered	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions Use domain: industrial	
Operational conditions		
Concentration of the substance	Fatty acids, coco, 2-sulfoethyl esters, sodium salts Content: >= 0 % - <= 100 %	
Physical state	Solid, low dustiness	

Date / First version: 08.05.2014

Product: SCI Flakes

Vapour pressure of the substance during use	0.0015 Pa		
Process temperature	20 °C		
Duration and Frequency of activity	480 min 5 days per week		
Indoor/Outdoor	Indoor		
Risk Management Measures			
Use suitable eye protection.			
Exposure estimate and reference to	Exposure estimate and reference to its source		
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker		
	Worker - dermal, long-term - systemic		
Exposure estimate	1.3714 mg/kg bw/day		
Risk Characterization Ratio (RCR)	0.047702		
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker		
	Worker - inhalation, long-term - systemic		
Exposure estimate	0.01 mg/m ³		
Risk Characterization Ratio (RCR)	0.00016		
Guidance to Downstream Users			
For scaling see: http://www.ecetoc.org/tra Please note that a modified version has been used (see			
exposure estimates)	·		

Contributing exposure scenario		
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition Use domain: industrial	
Operational conditions		
Concentration of the substance	Fatty acids, coco, 2-sulfoethyl esters, sodium salts Content: >= 0 % - <= 100 %	
Physical state	Solid, low dustiness	
Vapour pressure of the substance during use	0.0015 Pa	
Process temperature	20 °C	
Duration and Frequency of activity	480 min 5 days per week	
Indoor/Outdoor	Indoor	
Risk Management Measures		
Use suitable eye protection.		
Exposure estimate and reference to its source		
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	
	Worker - dermal, long-term - systemic	
Exposure estimate	0.6857 mg/kg bw/day	
Risk Characterization Ratio (RCR)	0.023851	
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	

Date / First version: 08.05.2014 Product: **Jordapon® SCI**

	Worker - inhalation, long-term - systemic
Exposure estimate	0.1 mg/m ³
Risk Characterization Ratio (RCR)	0.0016
Guidance to Downstream Users	
For scaling see: http://www.ecetoc.org/tra Please note that a modified version has been used (see	
exposure estimates)	

Contributing exposure scenario	
Use descriptors covered	PROC5: Mixing or blending in batch processes Use domain: industrial
Operational conditions	
Concentration of the substance	Fatty acids, coco, 2-sulfoethyl esters, sodium salts Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Vapour pressure of the substance during use	0.0015 Pa
Process temperature	20 °C
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Use suitable eye protection.	
Exposure estimate and reference to	o its source
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker
	Worker - dermal, long-term - systemic
Exposure estimate	13.7143 mg/kg bw/day
Risk Characterization Ratio (RCR)	0.477019
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker
	Worker - inhalation, long-term - systemic
Exposure estimate	0.5 mg/m³
Risk Characterization Ratio (RCR)	0.008
Guidance to Downstream Users	
For scaling see: http://www.ecetoc.org	y/tra Please note that a modified version has been used (see
exposure estimates)	

Contributing exposure scenario		
Use descriptors covered	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities Use domain: industrial	
Operational conditions		
Concentration of the substance	Fatty acids, coco, 2-sulfoethyl esters, sodium salts Content: >= 0 % - <= 100 %	
Physical state	Solid, low dustiness	
Vapour pressure of the substance	0.0015 Pa	

Date / First version: 08.05.2014

Product: SCI Flakes

during use		
Process temperature	20 °C	
Duration and Frequency of activity	480 min 5 days per week	
Indoor/Outdoor	Indoor	
Risk Management Measures		
Use suitable eye protection.		
Exposure estimate and reference to its source		
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	
	Worker - dermal, long-term - systemic	
Exposure estimate	13.7143 mg/kg bw/day	
Risk Characterization Ratio (RCR)	0.477019	
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	
	Worker - inhalation, long-term - systemic	
Exposure estimate	0.5 mg/m ³	
Risk Characterization Ratio (RCR)	0.008	
Guidance to Downstream Users		
For scaling see: http://www.ecetoc.org	/tra Please note that a modified version has been used (see	
exposure estimates)		

Contributing exposure scenario		
Use descriptors covered	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities Use domain: industrial	
Operational conditions		
Concentration of the substance	Fatty acids, coco, 2-sulfoethyl esters, sodium salts Content: >= 0 % - <= 100 %	
Physical state	Solid, low dustiness	
Vapour pressure of the substance during use	0.0015 Pa	
Process temperature	20 °C	
Duration and Frequency of activity	480 min 5 days per week	
Indoor/Outdoor	Indoor	
Risk Management Measures		
Use suitable eye protection.		
Exposure estimate and reference to	its source	
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	
	Worker - dermal, long-term - systemic	
Exposure estimate	13.7143 mg/kg bw/day	
Risk Characterization Ratio (RCR)	0.477019	
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	
	Worker - inhalation, long-term - systemic	
Exposure estimate	0.1 mg/m³	
Risk Characterization Ratio (RCR)	0.0016	

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

Guidance to Downstream Users

For scaling see: http://www.ecetoc.org/tra Please note that a modified version has been used (see exposure estimates)

Contributing exposure scenario	
Use descriptors covered	PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). Use domain: industrial
Operational conditions	
Concentration of the substance	Fatty acids, coco, 2-sulfoethyl esters, sodium salts Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Vapour pressure of the substance during use	0.0015 Pa
Process temperature	20 °C
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Use suitable eye protection.	
Exposure estimate and reference to	
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker
	Worker - dermal, long-term - systemic
Exposure estimate	6.8571 mg/kg bw/day
Risk Characterization Ratio (RCR)	0.238509
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker
	Worker - inhalation, long-term - systemic
Exposure estimate	0.1 mg/m³
Risk Characterization Ratio (RCR)	0.0016
Guidance to Downstream Users	
For scaling see: http://www.ecetoc.org	g/tra Please note that a modified version has been used (see
exposure estimates)	

Contributing exposure scenario		
Use descriptors covered	PROC14: Tabletting, compression, extrusion, pelletisation, granulation Use domain: industrial	
Operational conditions		
Concentration of the substance	Fatty acids, coco, 2-sulfoethyl esters, sodium salts Content: >= 0 % - <= 100 %	
Physical state	Solid, low dustiness	
Vapour pressure of the substance during use	0.0015 Pa	
Process temperature	20 °C	

Date / First version: 08.05.2014

Product: SCI Flakes

	1	
Duration and Frequency of activity	480 min 5 days per week	
Indoor/Outdoor	Indoor	
Risk Management Measures		
Use suitable eye protection.		
Exposure estimate and reference to its source		
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	
	Worker - dermal, long-term - systemic	
Exposure estimate	3.4286 mg/kg bw/day	
Risk Characterization Ratio (RCR)	0.119255	
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	
	Worker - inhalation, long-term - systemic	
Exposure estimate	0.1 mg/m³	
Risk Characterization Ratio (RCR)	0.0016	
Guidance to Downstream Users		
For scaling see: http://www.ecetoc.org exposure estimates)	/tra Please note that a modified version has been used (see	

Contributing exposure scenario		
	PROC15: Use a laboratory reagent.	
Use descriptors covered	Use domain: industrial	
Operational conditions		
	Fatty acids, coco, 2-sulfoethyl esters, sodium salts	
Concentration of the substance	Content: >= 0 % - <= 100 %	
Physical state	Solid, low dustiness	
Vapour pressure of the substance	0.0015 Pa	
during use		
Process temperature	20 °C	
1 recess temperature		
Duration and Frequency of activity	480 min 5 days per week	
Indoor/Outdoor	Indoor	
Risk Management Measures		
Use suitable eye protection.		
Exposure estimate and reference to	its source	
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	
	Worker - dermal, long-term - systemic	
Exposure estimate	0.3429 mg/kg bw/day	
Risk Characterization Ratio (RCR)	0.011925	
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Worker	
	Worker - inhalation, long-term - systemic	
Exposure estimate	0.1 mg/m³	
Risk Characterization Ratio (RCR)	0.0016	
Guidance to Downstream Users		
For scaling see: http://www.ecetoc.org/tra Please note that a modified version has been used (see		
exposure estimates)		

Date / First version: 08.05.2014

Product: SCI FlakesI

(ID no. 30671418/SDS_GEN_GB/EN)

* * * * * * * * * * * * * * *

2. Short title of exposure scenario

Consumer applications SU21; ERC8a, ERC8d; PC39

Control of exposure and risk management measures

Contributing exposure scenario		
Use descriptors covered	ERC8a: Widespread use of nor (no inclusion into or onto article	
Operational conditions	1	
Annual amount used in the EU	180,000 kg	
Minimum emission days per year	365	
Emission factor air	100 %	
Emission factor water	100 %	
Emission factor soil	0 %	
Receive Surf. Water (Flow Rate).	18,000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures	1	
Type of STP Municipal STP		nicipal STP
Assumed sewage treatment plant flow	(m3/d) 2,0	00 m3/d
Exposure estimate and reference to	its source	
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0.126155	
	Risk from environmental exposure is driven by marine	
	water.	
	0.781816	
Maximum amount of safe use	kg/d	
Risk from environmental exposure is d	iven by marine water.	

Contributing exposure scenario	
Use descriptors covered	ERC8d: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
Operational conditions	
Annual amount used in the EU	180,000 kg

Date / First version: 08.05.2014

Product: SCI Flakes

(ID no. 30671418/SDS_GEN_GB/EN)

Minimum emission days per year	365	
Emission factor air	100 %	
Emission factor water	100 %	
Emission factor soil	20 %	
Receive Surf. Water (Flow Rate).	18,000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Type of STP		Municipal STP
Assumed sewage treatment plant flow (m3/d)		2,000 m3/d
Exposure estimate and reference to i	ts source	
Assessment method	EASY TRA v4.1, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0.126155	
	Risk from environmental exposure is driven by marine water.	
	0.781816	
Maximum amount of safe use	kg/d	
Risk from environmental exposure is driven by marine water.		

Contributing exposure scenario	
Use descriptors covered	PC39: Cosmetics, personal care products. In accordance to the Article 14 (5b) of the REACh Regulation (EC) No 1907/2006, exposure estimation and risk characterisation needs not to be performed for end uses in cosmetic products within the scope of Directive EC 1223/2009.
Operational conditions	
Vapour pressure of the substance during use	0.0015 Pa
Process temperature	20 °C

* * * * * * * * * * * * * * * *