

Unit 3 Quatro Park, Tanners Drive, Milton Keynes MK14 5FJ, England

Telephone: 01908 334100 Fax: 01908 211376 Email: sales@aromatrading.com

## **CERTIFICATE OF ANALYSIS**

Product Description	Batch	Re-Test Date	Customer Reference
COCOA BUTTER UNREF ORGANIC	10467	12/2027	

PARAMETERS	SPECIFICATION	RESULTS	
Colour and Appearance:	Solid at 20°C. Pale yellow colour	Comparable to standard	
Odour:	Bland slight chocolate odour	Complies	
Flash Point:	+300°C	Complies	
Refractive Index @ 40°C:	1.456 - 1.459	1.457	
Free fatty Acid:	2.0 max	0.99	
Saponification Value:	188.0 - 198.0	193.0	
Peroxide Value meq 02/kg oil:	5.0 max	0.9	
Iodine Value:	33.0 - 42.0	37.5	
FATTY ACID PROFILE:			
Palmitic C16	23 - 30%	26.8	
Stearic C18	30 - 37%	31.1	
Oleic C18:1	31 - 39%	34.56	
Linoleic C18:2	1.5 - 4.5%	3.0	

## **DECLARATION**

Aroma Trading Ltd shall not be held liable for any damage resulting from handling, application or processing of our ingredients, since the conditions of use are out of our control. Information provided by Aroma Trading Ltd , including the composition or use of our ingredients, are provided in good faith, based on current technical and scientific knowledge, but without any warranty as to their accuracy or completeness.

Any user of our ingredients shall themselves determine the suitability of our ingredients for their own intended use and as may be the case, obtain the required regulatory approvals for the commercialization of their finished products. Any person using our ingredients in the formulation of their own finished products are solely responsible for ensuring that the use of our ingredients, the finished products, the packaging, labelling and any claims they make with respect to their finished products and the ingredients they contain, comply with their country/state/regional applicable laws and regulations.

Bay House Ingredients® & Soapmakers Store are Divisions of Aroma Trading Ltd Registered No. 02698381, V.A.T. Registration No. 600 516 981, EORI GB60051698100

Electronically generated, this document is not signed. Quality Control Department